

MST47

Extended Arm Full Height Turnstile

The MST47 extended arm full height turnstile includes all the same key product features as our standard MST models, but with longer 47" arms. No other full height product comes close to the quality and performance of the MST47.



Product Features

- Single or bi-directional access control
- Either rotation direction can be fail-safe or fail-secure
- Safe, controlled rotation that adjusts to pushing force of user
- Suitable for outdoor installations
- UL and CSA listed, CE marked
- Integrates with any access control system
- UL listed

Product Benefits

- 47" arms create a wider passageway for patrons
- Integrates with any access control system
- Provides single user passage control
- Helps reduce staffing requirements
- Highly reliable; provides long term continuous use

Additional resources, including specifications, installation manuals and drawings can be found online.



Available Models

MST47-3 Manual MST47-6X Electric

Common Applications

- Perimeter control and fence line security
- Time and attendance integration
- Employee and visitor access control
- Unmanned point of entry
- Single direction control and/or one-way exiting

Typical Installation Sites

- Corporate facilities
- Secured government facilities
- Distribution centers
- Manufacturing plants

Options

- Proximity and biometric reader integration
- Backup battery
- Credential status notification lights
- Turnstile open / closed status lights
- Enhanced environmental protection for severe environments
- Padded heel / arm guards

Safe and Reliable Operation

- Speed controlled rotation and automatic arm self-centering
- Mechanical anti-entrapment design
- Fail-secure operation provides free egress upon loss of power or fire system input
- Mode configuration through I/O or built in key locks
- UL Listed

Electrical (MST47-6X only)

Transformer	110 or 240VAC, 50 - 60Hz
Peak Consumption	65W
Operational Voltage	VDC, 12/5

Access Control and Fire System Integration

The MST47 integrates easily to access control and fire systems through I/O (dry contact).

Operating Modes

Card in/card out; card in/free exit; free entry/free exit; exit only.

Available Finishes

- Hot dipped galvanized
- Powder coat | Powder coat over galvanized
- #304 stainless steel | Powder coat over stainless steel

Dimensions

Dimensions shown in inches (mm).

